

Scan this QR Code to access a digital version



Download **Scan** from iTunes Store or Google Play

CARE FOR BIOPSY SITES

YOUR TEST RESULTS WILL BE AVAILABLE IN AT LEAST THREE WEEKS

IF YOU DO NOT RECEIVE A PHONE CALL FROM US IN THREE WEEKS,

PLEASE GIVE OUR OFFICE A CALL.

Leave the bandage on for 24 hours and keep the area covered and moist.

If you experience any discomfort, take 2 Tylenol tablets every 4 to 6 hours. We recommend that you avoid Aspirin, non-steroidal anti-inflammatory agents such as Motrin or Advil, and avoid alcohol, as these increase the likelihood that you will bleed. If you have a smartphone please take a picture of your biopsy site, with any anatomical landmarks adjacent to the site.

Clean the biopsy site once a day:

1. Use soap and water to gently cleanse the area and pat it dry.
2. Apply **Bacitracin, Polysporin, Aquaphor, or Vaseline ointment** (all of which can be purchased **over the counter**) to the biopsy site with a Q-tip.
3. Cover the site with a Band-Aid or Telfa pad or leave open with the ointment on the wound (especially for facial lesions or hair-bearing areas).
4. Do not allow the biopsy site to dry out or form a scab, as this will slow healing. If necessary, re-cleanse and reapply ointment to maintain a moist environment.
5. When the surface of the skin has healed (approx. 4-10 days) wound care may be discontinued. Motrin or Advil, and avoid alcohol, as these increase the likelihood that you will bleed.

It is normal for healing wounds to feel slightly tender to the touch and look pink around the edges. However, if after a few days it becomes increasingly red, swollen, painful or develops a discharge, please call the office.

IN CASE OF EMERGENCY:

During regular office hours, please call (858) 278-8835 (Option 3)
After hours and on weekends, please call the doctor
or his physician assistant at (619) 318-0952.